









QOSINA


New and Featured Products


2026











qosina.com



Ready to see what's shaping tomorrow?

We've gathered our newest and most in-demand components to give you a quick, curated look at what's new and what's next.

Qosina is where great ideas take shape. We help innovators move from concept to creation with our thousands of components, free samples, CAD models and downloadable documentation. With new products added regularly, there's always something fresh to explore.

Built for Innovation. Backed by Reliability.

- **Where great ideas meet real-world reliability.** Qosina supports the people who make things happen, from engineers pushing the limits of design to supply chain teams keeping projects on track.
- **Smarter choices and fewer steps.** Discover new components, advanced materials and trusted solutions that simplify sourcing, speed up sampling and streamline your path from concept to production.
- **Precision, performance and partnership.** Every product is supported by decades of expertise, rigorous standards and the dependable delivery Qosina is known for, so you can focus on building what comes next.

What's inside?

A curated selection of our newest and most in-demand components, actual-size images on a 1 cm grid and a broad snapshot of key categories across our ever-expanding product range. Every item featured here and thousands more are available for sampling and purchasing at qosina.com.

Think of this brochure as a highlight reel of what's new and noteworthy, designed to spark ideas, spotlight innovations and give you a first look at what's ahead. And with lots of great things in the works, you can expect even more additions coming soon.

Low Minimums, High Flexibility

Order only what you need with low minimum quantities and flexible options — ideal for prototyping, pilot production and scaling to full manufacturing.

Try Before You Buy

Request samples quickly to accelerate your design and validation process, with expert guidance and documentation support every step of the way.

Global Reach & Reliability

Partnering with innovators and organizations worldwide, Qosina delivers trusted components and dependable service to support every stage of medical device development.

Trusted Quality

Certified to ISO 9001, 13485, 14001, 22301 and 45001 standards, Qosina upholds quality, safety, sustainability and reliability across every component we deliver.



Table of Contents

Connectors & Caps 10

Tubing 34

Clamps & Clips 36

Stopcocks & Manifolds 42

Valves 48

Spikes & Filters 56

Bags 60

Flanges, End Caps & Gaskets 66

Bottles & Bottle Accessories 76

Overmolded Components 82

Needles 88



CONNECTING YOU WITH THE

Medical Device Components You Need

Our New & Featured Products Brochure showcases our newest additions and most popular core products.

Qosina is your trusted source for high-quality components that support medical and bioprocess applications. You can explore our full range of categories on our website from fittings and filters to tubing and clamps, each designed to meet the highest standards of quality and performance.

Scan the QR code
to browse all of our products online and find the perfect components for your next project.

- Applicators, Swabs & Brushes
- Bag Ports
- Bags
- Caps
- Clothing
- Clamps & Clips
- Chambers
- Connectors
- Containers
- Dilators & Introducer Sheaths
- Dispensers
- Drapes, Towels & Gauze
- Extension Lines
- Filters
- Guide Wire & Catheter Accessories
- Injection & Sampling Ports
- Needles
- Overmolded Components
- Sample Assortment Kits
- Sanitary Flanges, Caps & Gaskets
- Scoops & Spoons
- Single-Use Sensors
- Spikes
- Sterilization Supplies
- Stopcocks & Manifolds
- Syringes
- Tools
- Tubing
- Valves
- View our complete product catalog at www.qosina.com

Global Presence. Local Expertise.

Wherever you innovate, Qosina is there supporting your components, supply chain and technical needs anywhere in the world.

Worldwide Support, Wherever You Operate

With sales teams, distribution hubs and technical specialists spanning the globe, Qosina provides seamless sourcing support and supply chain continuity. We help you accelerate timelines and reduce risk, no matter the location.



Global Component Sourcing
Thousands of ready-to-ship components and deep expertise across regulatory and technical environments help streamline your development and manufacturing processes internationally.

Worldwide Distribution
Our international warehouse network enables fast, reliable shipments, strategic inventory positioning and consistent order fulfillment across regions.

Fast Facts



We ship to almost anywhere in the world



Thousands of components in stock for rapid delivery



Support across multiple time zones



45+ years serving global medical and life science innovators

Support at every stage of development, wherever you are in the world.

Headquarters & Distribution Center
2002-Q Orville Drive North
Ronkonkoma, NY 11779
USA

Contact us: info@qosina.com

Qosina Europe Srl
Viale Giacomo Matteotti, 26
20095 Cusano Milanino (MI)
Italy

Contact us: info@qosinaeurope.com

Global Distribution Partners

Israel
Conlog, LTD.
Ha-Mefalsim St 17
Petah Tikva 4951447
Israel

conlog@conlog.co.il

Japan
zenius Ltd.
3F, No. 2 Tobu Bldg.
6-27-4 Jingumae,
Shibuya-ku
Tokyo 150-0001
Japan

info.qosina@zenius.jp

China
HnG Medical Incorporated
Hangzhou Office
8F Yuanyue Mansion,
3730 Nanhuan Rd
Binjiang District, Hangzhou
Zhejiang 310052, China

info@hngmedical.com



New & Featured
Connectors & Caps

Qosina provides a wide selection of luer lock, barbed and aseptic connectors to support flexible fluid handling for medical device applications and single-use systems. Built for reliability and easy integration, these components fit a broad range of tubing and system designs. They offer dependable performance across bioprocessing, laboratory and pharmaceutical workflows.

TABLE OF CONTENTS

Luers 11
Straight Connectors 14
Y Connectors 17
T Connectors 20
Elbow Connectors 22
Suction Connectors 23
Anti-Slip Boot 24
Vented Caps 24
Non-Vented Caps 25
Steam-In-Place Connectors 26
Aseptic Disconnects 28
Aseptic Connectors 29

For our full-line of **Connectors & Caps,** scan this QR code to visit **qosina.com**

Luers

Threaded Connectors

1cm



11344 NEW!
Barbed
Fits 1/16 inch ID Tubing
(0.063 inch, 1.59 mm) x M6
PP



11345 NEW!
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm) x M6
Nylon



42067 NEW!
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
Tapered 10-32 UNF
Nylon



27218 NEW!
Male Luer Lock
1/4"-28 UNF
PP



42068 NEW!
Female Luer Lock
10-32 Tapered Thread
Nylon



42069 NEW!
Female Luer Lock
10-32 Tapered Thread
PP

Male Luer Locks



11559
Barbed
Fits 3/32 inch ID Tubing
(0.094 inch, 2.38 mm)
PC



29233 NEW!
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
Nylon



42056 NEW!
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
PP



42057 NEW!
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
PC



29232 NEW!
Barbed
Fits 3/16 inch ID Tubing
(0.188 inch, 4.76 mm)
PP



71685
Tubing Port
0.154 inch - 0.22 inch OD
(3.91 mm - 5.64 mm)
PC



18046 NEW!
Tubing Port
0.182 inch ID (4.62 mm)
PVC

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Luers

Male Luer Slips

1cm

42071
Barbed
Fits 1/16 inch ID Tubing
(0.063 inch, 1.59 mm)
Nylon
NEW!



42058
Barbed
Fits 3/32 inch ID Tubing
(0.094 inch, 2.38 mm)
PC
NEW!



11348
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
PC
NEW!

11347
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
Nylon
NEW!



11989
Male Luer Slip, Male Luer Slip
PC
NEW!

Male Luer with Spin Lock



89333
Barbed
Fits 3/16 inch ID Tubing
(0.188 inch, 4.76 mm)
MABS



90223
0.209 inch - 0.201 inch ID
MABS, PP
NEW!



89332
Barbed
Fits 1/4 inch ID Tubing
(0.25 inch, 6.35 mm)
MABS



90229
0.26 inch - 0.252 inch ID
(6.6 mm - 6.4 mm)
MABS, PP

Male Luer Lock to Male Luer Lock



20024
1200 psi
PC



20022
Rotating
PC, EPDM, Silicone



17681
Spin Lock
PC, MABS

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

CONNECTORS & CAPS

Luers

Female Luer Locks

1cm



61972
Barbed
Fits 1/16 inch ID Tubing
(0.063 inch, 1.59 mm)
PP
NEW!



41525
Tubing Port
5 FR ID
(0.066 inch, 1.68 mm)
PC



61973
Barbed
Fits 3/32 inch ID Tubing
(0.094 inch, 2.38 mm)
PP
NEW!



10197
Barbed
Fits 3/32 inch ID Tubing
(0.094 inch, 2.38 mm)
Nylon
NEW!



96442
Tubing Port
0.106 inch - 0.1 inch ID/
0.173 inch - 0.169 inch OD
(2.69 mm - 2.54 mm/
4.39 mm - 4.29 mm)
PC



31286
Tubing Port
0.157 inch - 0.146 inch ID
(3.99 mm - 3.71 mm)
PC

65260
Tubing Port
0.164 inch - 0.158 inch ID
(4.17 mm - 4.01 mm)
PC



11564
Barbed
Fits 3/16 inch ID Tubing
(0.188 inch, 4.76 mm)
PC



75306
Tubing Port
0.189 inch ID/0.258 inch OD
(4.8 mm /6.55 mm)
PC
NEW!



11150
Tubing Port
0.192 inch - 0.183 inch ID/
0.254 inch - 0.26 inch OD
(4.88 mm - 4.65 mm/
6.45 mm - 6.6 mm)
PC

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Luers

Female to Female





10198
Nylon

NEW!



11184
PC

Female Luer Lock to Rotating Male Luer Lock



20023
PC, EPDM, Silicone



20035
1200 psi
PC, Silicone, Butyl

Straight Connectors



10195 NEW!
Barbed
Fits 3/32 inch ID Tubing
(0.094 inch, 2.38 mm)
PP



11581
Tubing Port
0.148 - 0.154 inch ID/0.27 inch OD
x 0.148 - 0.154 inch ID/0.248 inch OD
(3.76 mm - 3.91 mm/6.86 mm
x 3.76 mm - 3.91 mm/6.3 mm)
Acrylic

10193 NEW!
Reducer, Barbed
Fits 3/16 inch x 1/8 inch ID Tubing
(0.188 inch x 0.125 inch,
4.76 mm x 3.18 mm)
Nylon

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Straight Connectors



HS691
Barbed
Fits 3/16 inch ID Tubing
(0.188 inch, 4.7 mm)
PC



NEW!

42059
Reducer, Barbed
Fits 1/4 inch x 1/8 inch ID Tubing
(0.25 inch x 0.125 inch,
6.35 mm x 3.18 mm)
PVDF





73316
Barbed, Female Luer Lock Side Port
Sideports Fit 1/4 inch ID Tubing
(0.25 inch, 6.35 mm)
PC



11480
Reducer, Barbed
Fits 9/32 inch - 13/32 inch
x 5/32 inch - 5/16 inch ID Tubing
(0.281 inch - 0.406 inch
x 0.156 inch - 0.313 inch,
7.14 mm - 10.31 mm
x 3.97 mm - 7.94 mm)
Nylon



60012
Barbed
Fits 5/16 inch ID Tubing
(0.313 inch, 7.94 mm)
PP



11805
Tubing Port, Stepped
0.32 inch ID/0.38 inch OD
x 0.33 inch - 0.47 inch OD
(8.13 mm/9.65 mm
x 8.38 mm - 11.94 mm)
ABS



73314
Reducer, Barbed
Fits 3/8 inch x 1/4 inch ID Tubing
(0.375 inch x 0.25 inch,
9.53 mm x 6.35 mm)
PC

60019
Reducer, Barbed
Fits 3/8 inch x 1/4 inch ID Tubing
(0.375 inch x 0.25 inch,
9.53 mm x 6.35 mm)
PP

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Straight Connectors


1cm

61100
Barbed
Fits 5/8 inch ID Tubing
(0.625 inch, 15.88 mm)
PP



NEW!

62503
Barbed
Fits 1 1/2 inch ID Tubing
(1.5 inch, 38.1 mm)
PP



NEW!

62504
Reducer, Barbed
Fits 1 1/2 inch ID Tubing x 1 Inch ID Tubing
(1.5 inch x 1 inch, 38.1 mm x 25.4 mm)
PP



NEW!

51757
Reducer, Tubing Port
22 mm ID x 10 mm OD
PP



52208
Reducer, Tubing Port
22 mm OD x 8 mm OD
PP

52250
Tubing Port
22 mm OD/15 mm ID
PP

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Y Connectors

1cm



NEW!

42070
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
Nylon



88412
Tubing Ports
0.157 inch ID
(3.99 mm)
PVC



NEW!

51753
Tubing Ports
0.268 inch ID (6.8 mm)
PVC



NEW!

51754
Tubing Ports
0.268 inch ID
(6.8 mm)
PVC



65925
3 Female Luer Locks,
Male Luer with Spin Lock
PVC, PC



88410
Barbed
Fits 3/8 inch ID Tubing
(0.375 inch, 9.53 mm)
PP

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Y Connectors

1cm



81460
Parallel, Reducer, Tubing Ports
Fits 3/32 inch (0.094 inch, 2.38 mm);
1/8 inch (0.125 inch, 3.18 mm);
3/16 inch (0.188 inch, 4.76 mm) OD Tubing;
1/4 inch (0.25 inch, 6.35 mm) ID
Plastisol



81188
Parallel, Tubing Ports
3/16 inch ID
(0.188 inch, 4.76 mm)
Plastisol

60125
Barbed
Fits 1/4 inch ID Tubing
(0.25 inch, 6.35 mm)
PC



61519
Reducer, Barbed
Fits 1/4 inch (0.25 inch, 6.35 mm);
5/16 inch (0.313 inch, 7.94 mm);
3/8 inch (0.375 inch, 9.53 mm);
7/16 inch (0.438 inch, 11.11 mm); 1/2
inch (0.5 inch, 12.7 mm); 9/16 inch
(0.563 inch, 14.3 mm) ID Tubing
PP

Dimensions are for reference only


Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

CONNECTORS & CAPS

Y Connectors

1cm



62508 NEW!
Barbed
Fits 1 1/2 inch ID Tubing
(1.5 inch, 38.1 mm)
PP

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

T Connectors

1cm



61751
Female Luer Locks
PP



80135
2 Female Luer Locks,
Swivel Male Luer
PC



80061
2 Female Luer Locks,
Swivel Male Luer
PC

NEW!

27220
Reducer, Barbed
Fits 1/8 inch ID Tubing x 1/16 inch ID Tubing
(0.125 inch x 0.063 inch, 3.18 mm x 1.59 mm)
Nylon



NEW!


27219
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
Nylon



NEW!

27221
Barbed
Fits 1/8 inch ID Tubing
(0.125 inch, 3.18 mm)
Nylon

60001
Barbed
Fits 1/4 inch ID Tubing
(0.25 inch, 6.35 mm)
PP



NEW!

42066
Barbed
Fits 1/2 inch ID Tubing
(0.5 inch, 12.7 mm)
PVDF


Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

T Connectors


1cm



NEW!

62507
Reducer, Barbed
Fits 1 1/2 inch ID Tubing (1.5 inch, 38.1 mm)
Fits 3/4 inch ID Tubing (0.75 inch, 19.05 mm)
PP

Also Available:	
Part No.	Measurement
62506	Fits 1 1/2 inch ID Tubing (1.5 inch, 38.1 mm); Fits 1 inch ID Tubing (1 inch, 25.4 mm)



NEW!

62505
Barbed
Fits 1 1/2 inch ID Tubing (1.5 inch, 38.1 mm)
PP

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Elbow Connectors

1cm



NEW!

10196
Female Luer Locks
PP



NEW!

11342
Barbed
Fits 3/32 inch ID Tubing
(0.094 inch, 2.38 mm)
Nylon



NEW!

11988
Barbed, Male Luer Slip
Fits 1/8 inch Tubing
(0.125 inch, 3.18 mm)
PC

60009
Barbed
Fits 3/8 inch ID Tubing
(0.375 inch, 9.53 mm)
PP

60010
Barbed
Fits 1/2 inch ID Tubing
(0.5 inch, 12.7 mm)
PP

Suction Connectors

1cm



580141
Fits 14 FR OD Tubing
(0.185 inch, 4.7 mm)
PVC



580181
Fits 18 FR OD Tubing
(0.236 inch, 5.99 mm)
PVC



57025
Fits 1/4 inch ID
x 3/8 inch OD Tubing
(0.25 inch x 0.375 inch,
6.35 mm x 9.53 mm)
PVC



580281
Fits 28 FR OD Tubing
(0.367 inch, 9.3 mm)
PVC

Anti-Slip Boot







Shown in use

NEW!

51800
0.366 inch ID X 0.48 inch OD
(9.3 mm x 12.19 mm); 0.75 inch L
Silicone

Vented Caps



65307
Male Luer Cap
ABS



65412
Male Luer Cap
PP



65413
Male Luer Cap
ABS

NEW!

11307
Large-Bore Male Cap
HDPE



65736
Female Luer Cap
PP

65501
Female Luer Cap
HDPE


Non-Vented Caps





NEW!

11343
Double Dead-Ender Cap
PP



NEW!

75303
Double Dead-Ender Cap
with Recessed Stem
LDPE



NEW!

10199
Female Luer Cap
PP

65501
Female Luer Cap
PP

65708
Female Luer Cap
PP



65510
Male Luer Cap
PP



NEW!

75305
Male Luer Cap
HDPE



65412
Male Luer Cap
ABS




17673
Male Luer Cap with Strap
0.205 inch ID Application Loop (5.2 mm)
HDPE, PVC



51400
Port Plug with Strap
0.245 inch ID Application Loop (6.22 mm)
LDPE

Steam-In-Place Connectors

1cm



See even more Steam-In-Place connectors on our website!

NEW!

51761
Lynx® ST Connector, Barbed
1 inch/1.5 inch Standard x Fits 1/2 inch ID Tubing (0.5 inch, 12.7 mm)
PEI, Silicone

NEW!	Also Available:	
	Part No.	Measurement
	51760	0.5 inch/0.75 inch Mini x Fits 1/4 inch ID Tubing (0.25 inch, 6.35 mm)

CONNECTORS & CAPS

Steam-In-Place Connectors

1cm



NEW!

51762
Lynx® ST Connector, Barbed
1 inch/1.5 inch Standard x Fits 1 inch ID Tubing (25.4 mm)
PEI, Silicone



NEW!

51763
Lynx® ST Connector, Sanitary Flange
1 inch/1.5 inch Standard x 1 inch/1.5 inch Standard
PEI, Silicone

Aseptic Disconnects

1cm

Visit our website to view our selection of crimping tools, designed for quick and leak-free disconnection of pinch pipes.



62243 **NEW!**
NovaSeal™ Pinch Pipe
Fits 0.118 inch ID x 0.236 inch OD Tubing
(3 mm x 6 mm)
Nickel-Plated Brass



62240 **NEW!**
NovaSeal™ Pinch Pipe
Fits 1/4 inch ID x 1/2 inch OD Tubing
(0.25 inch x 0.5 inch, 6.35 mm x 12.7 mm)
Nickel-Plated Brass



62241 **NEW!**
NovaSeal™ Pinch Pipe
Fits 3/8 inch ID x 5/8 inch OD Tubing
(0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)
Nickel-Plated Brass



62242 **NEW!**
NovaSeal™ Pinch Pipe
Fits 1/2 inch ID x 3/4 inch OD Tubing
(0.5 inch x 0.75 inch, 12.7 mm x 19.05 mm)
Nickel-Plated Brass



62246 **NEW!**
NovaSeal™ Cap
Fits 1/2 inch OD Tubing
(0.5 inch, 12.7 mm)
Silicone



62248 **NEW!**
NovaSeal™ Cap
Fits 5/8 inch OD Tubing
(0.625 inch, 15.88 mm)
Silicone



62247 **NEW!**
NovaSeal™ Cap
Fits 3/4 inch OD Tubing
(0.75 inch, 19.05 mm)
Silicone

Aseptic Connectors

1cm




NEW!

AQG17MPCHT
AseptiQuik® G Connector, Genderless, MPC Insert, High Temperature
PC, PES, Silicone, PTFE



NEW!

AQG17MPC
AseptiQuik® G Connector, Genderless, MPC Insert
PC, PE, Silicone



AQG33124
AseptiQuik® G Connector, Genderless, Sanitary Flange
1 inch/1.5 inch Standard
PPSU, PC, PE, Silicone

Aseptic Connectors

1cm



Image shown at 25%

AQW33024HT **NEW!**
AseptiQuik® W Connector, Genderless, Sanitary Flange, High Temperature
1 inch/1.5 inch Standard
PC, PES, Silicone, PPSU, PTFE



Image shown at 25%

AQW17024HT **NEW!**
AseptiQuik® W Connector, Genderless, Barbed, High Temperature
Fits 1 1/2 inch ID Tubing (1.5 inch, 38.1 mm)
PC, PES, Silicone, PPSU, PTFE

NEW! Also Available:

Part No.	Measurement
AQW17016HT	Fits 1 inch ID Tubing (25.4 mm)
AQW17020HT	Fits 1 1/4 inch ID Tubing (1.25 inch, 31.75 mm)

Aseptic Connectors

1cm



CNX17002HT
MicroCNX® Connector, Genderless, Barbed, High Temperature
Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
PC, PP, Silicone, PES



NEW!

CNX170LFHT
MicroCNX® Connector, Genderless, Female Luer, High Temperature
PC, PP, Silicone, PES



NEW!

CNX170LMHT
MicroCNX® Connector, Genderless, Male Luer, High Temperature
PC, PP, Silicone, PES

Aseptic Connectors

1cm



NEW!

CNX17101HT
MicroCNX® ULT Connector, Genderless, Barbed, High Temperature
Fits 1/16 inch ID Tubing (0.063 inch, 1.59 mm)
PPSU, Silicone, PES, PC



NEW!

CNX17103HT
MicroCNX® ULT Connector, Genderless, Barbed, High Temperature
Fits 3/32 inch ID Tubing (0.094 inch, 2.38 mm)
PPSU, Silicone, PES, PC



NEW!

CNX17102HT
MicroCNX® ULT Connector, Genderless, Barbed, High Temperature
Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
PPSU, Silicone, PES, PC

Aseptic Connectors

1cm



NEW!

CNY17101HT
MicroCNX® Nano Connector, Genderless, Barbed, High Temperature
Fits 1/16 inch ID Tubing (0.063 inch, 1.59 mm)
PPSU, Silicone, PES, PC



NEW!

CNY17102HT
MicroCNX® Nano Connector, Genderless, Barbed, High Temperature
Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
PPSU, Silicone, PES, PC

Your Trusted Source for Top Tubing Brands

When quality matters, count on Qosina.

We're proud to offer tubing from some of the industry's most respected names, giving you the assurance of proven performance and reliable supply, backed by Qosina's exceptional service.

Scan the QR code to visit our website and see our vast selection of tubing!

Over 300 new materials and sizes added!

PVC

- 15 new options
- 65A Durometer
- 50 ft. coils

DEHP-Free PVC

- 24 new options
- 70A Durometer
- 50, 100 and 250 ft. coils

Silicone

- Over 200 new options from the most popular brands
- Various sizes and durometers
- Braided and non-braided options
- 25 and 50 ft. coils

TPE

- 48 new options
- 60A, 65A and 68A durometers
- 25 and 50 ft. coils

TPO

- 5 new options
- 72A Durometer
- 50 ft. coils

TPV

- 13 new options
- 68A Durometer
- 50 ft. coils








New & Featured
Clamps & Clips

Qosina offers a wide range of clamps and clips including roller, pinch, slide and tubing clips to secure tubing and control fluid flow in single-use systems. Designed for reliability and ease of use, they help prevent leaks and simplify assembly across bioprocessing, laboratory and pharmaceutical applications.

TABLE OF CONTENTS

Pinch Clamps 37

Slide Clamps 39

Roller Clamps 40

Tubing Retainers 40

PharmaLok™ Clamps 41

For our full-line of **Clamps & Clips,** scan this QR code to visit **qosina.com**

Pinch Clamps

1cm



14065
Fits 0.059 inch - 0.118 inch OD Tubing
(1.5 mm - 3 mm)
PP



11089
Fits 0.125 inch - 0.15 inch OD Tubing
(3.2 mm - 3.8 mm)
PP



13603
Fits 0.161 inch - 0.197 inch OD Tubing
(4.1 mm - 5 mm)
POM

13997
Fits 0.236 inch - 0.354 inch OD Tubing
(6 mm - 9 mm)
PP



NEW!

51755
Ratchet-Style
Fits 0.268 inch OD Tubing (6.8 mm)
PP



NEW!

51756
Ratchet-Style
Fits 0.268 inch OD Tubing (6.8 mm)
PP



14034
Ratchet-Style
Fits 1/2 inch - 5/8 inch OD Tubing
(0.5 inch - 0.625 inch,
12.7 mm - 15.9 mm)
PBT

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Pinch Clamps

1cm



25659
Ratchet-Style
Fits 3/4 inch OD Tubing
(0.75 inch, 19.1 mm)
PBT

Also Available:	
Part No.	Color
25152	Yellow
25153	Black
25154	Red
25155	Green
25156	Blue



NEW!

14091
Ratchet-Style, Side-Load
Fits 3/8 inch OD Tubing
(0.375 inch, 9.53 mm)
PK



Angled view to show side-load



NEW!

14092
Ratchet-Style, Side-Load
Fits 3/4 inch OD Tubing
(0.75 inch, 19.05 mm)
PK



Angled view to show side-load

Slide Clamps

1cm



11056
Open Jaw
Fits 0.07 inch - 0.12 inch OD Tubing
(1.8 mm - 3 mm)
ABS




12145
Open Jaw
Fits 0.078 inch - 0.098 inch OD Tubing
(1.98 mm - 2.5 mm)
HDPE




12043
Open Jaw
Fits 0.197 inch OD Tubing
(5 mm)
PP



13022
Fits 0.2 inch OD Tubing
(5 mm)
HDPE



11039
Fits 1/4 inch OD Tubing
(0.25 inch, 6.35 mm)
HDPE



11022
Fits 1/2 inch OD Tubing
(0.5 inch, 12.7 mm)
HDPE



11023
Fits 1/2 inch OD Tubing
(0.5 inch, 12.7 mm)
HDPE

11014
Fits 5/8 inch OD Tubing
(0.625 inch, 16 mm)
HDPE

Roller Clamps

1cm



14010
Fits 0.189 inch OD Tubing
(4.8 mm)
HIPS, PP



14027
Fits 0.212 inch OD Tubing
(5.4 mm)
PP, HDPE



140281
Roller Clamp Body; for 140282
Fits 0.47 inch OD Tubing
(12 mm)
ABS



140282
Roller Clamp Wheel; for 140281
ABS

Tubing Retainers



NEW!

62600
Pharma+™ Tubing Retainer
Fits 1/4 inch - 7/16 inch OD Tubing
(0.25 - 0.438 inch, 6.35 - 11.11 mm)
PK

NEW! Also Available:


Part No.	Measurement
62601	Fits 3/8 inch - 5/8 inch OD Tubing (0.375 - 0.625 inch, 9.53 - 15.88 mm)
62602	Fits 5/8 inch - 1 1/8 inch OD Tubing (0.625 inch - 1.125 inch, 15.88 mm - 28.58 mm)

Dimensions are for reference only Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

PharmaLok™ Clamps

1cm



NEW!

51665
PharmaLok™ Clamp
Fits 3 inch Flange
Nylon

NEW! Also Available:	
Part No.	Measurement
51666	Fits 4 inch Flange





NEW!

51667
PharmaLok™ ZerO Clamp
Fits 0.5 inch/0.75 inch Mini Flange
Nylon



Open view

NEW! Also Available:

Part No.	Measurement
51668	Fits 1 inch/1.5 inch Standard Flange

Dimensions are for reference only Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.



New & Featured
Stopcocks & Manifolds

Qosina provides stopcocks and manifolds with ENFit®, luer and multiple tubing port connections. Some models include a needleless injection site with a luer-activated valve for simplified fluid control, and many meet ISO 80369-7 standards.

TABLE OF CONTENTS

1-Way 43

2-Way 43

3-Way 44

4-Way 45

Manifolds 46

Stopcock Luer Lock Clip 47

For our full-line of **Stopcocks & Manifolds,** scan this QR code to visit **qosina.com**

1-Way



11195
Female Luer Lock,
Male Luer with Spin Lock
0.106 inch Thru Hole (2.69 mm);
29 psi
PC, HDPE, Silicone



99522
Female Luer Lock,
Male Luer with Spin Lock
500 psi
PC, Silicone, POM



75300 NEW!
Female Luer Lock, Male Luer with Spin Lock,
Non-Vented Male Luer Cap, Vented Female Push-On Cap
29 psi
PC, HDPE, PP

2-Way



99770
2 Female Luer Locks,
Rotating Male Luer Lock
43 psi
PC, HDPE, Silicone



99752
2 Female Luer Locks,
Swivel Male Luer Lock,
90-Degree Turn Handle
0.105 inch Thru Hole (2.66 mm);
45 psi
PC, HDPE, Acrylic



99745
2 Female Luer Locks,
Swivel Male Luer Lock,
90-Degree Turn Handle
50 psi
PC, HDPE

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

3-Way

1cm



NEW!

75301
2 Female Luer Locks,
Male Luer Slip
29 psi
PC, HDPE



NEW!

99768
2 Female Luer Locks,
Male Luer Slip
29 psi
PC, HDPE



NEW!

99769
2 Female Luer Lock,
Male Luer Lock
29 psi
PC, HDPE



NEW!

75302
2 Female Luer Locks, Male Luer with Spin Lock,
Vented Male Push-On Cap and
Non-Vented Male Luer Lock Caps
29 psi
PC, HDPE, PP



99877
2 Female Luer Locks,
Tubing Port
Fits 0.12 inch OD Tubing (3.05 mm);
45 psi
PC, HDPE, Silicone

NEW!

28556
2 Female Luer Lock, Swivel Male Luer Lock,
Non-Vented Male Luer Caps,
Vented Push-On Cap
116 psi
PC, HDPE, MABS, PP



NEW!

28555
2 Female Luer Locks, Tubing Port,
Non-Vented Male Luer Caps
116 psi
PC, HDPE, PP

Dimensions are for reference only


Explore our full catalog at qosina.com

3-Way



NEW!

28557
2 Female Luer Locks, Swivel Male Luer Lock,
Non-Vented Male Luer Caps,
Vented Push-On Cap
116 psi
PC, HDPE, MABS, PP



1cm

99736
2 Female Luer Locks,
Swivel Male Luer Lock
500 psi
PC, Acetal, COPE

4-Way



99779
Female Luer Lock,
Swabbable Luer-Activated Valve,
Male Luer Lock
1.5 psi
PC, HDPE, Silicone



NEW!

99767
2 Female Luer Lock,
Male Luer with Spin Lock
29 psi
PC, HDPE



99781
2 Female Luer Locks,
Swivel Male Luer Lock
29 psi
COPE, HDPE, Silicone

Dimensions are for reference only

Explore our full catalog at qosina.com

Manifolds

1cm



NEW!

17560
RondelO™ 2-Way Stopcock Manifold with 2 Female Luer Locks, Tubing Ports
Fits 0.118 ID x 0.161 inch OD Tubing (3 mm x 4.1 mm); 29 psi
COPE, HDPE, Silicone

Also Available:	
Part No.	Color
17563	Yellow



NEW!

17559
RondelO™ 4-Way Stopcock Manifold with 4 Female Luer Locks, Tubing Ports
Fits 0.118 ID x 0.161 inch OD Tubing (3 mm x 4.1 mm); 29 psi
COPE, HDPE, Silicone


Also Available:	
Part No.	Color
17562	Yellow



NEW!

17558
RondelO™ 6-Way Stopcock Manifold with 6 Female Luer Locks, Tubing Ports
Fits 0.118 ID x 0.161 inch OD Tubing (3 mm x 4.1 mm); 29 psi
COPE, HDPE, Silicone

Also Available:	
Part No.	Color
17561	Yellow



33031
2-Gang, 4 Female Luer Locks, Non-Vented Caps
29 psi
PC, HDPE, Silicone, PP



99870

NEW!	58 psi; PC, HDPE, MABS		
	Part No.	Description	Color
	99868	2-Gang, 3 Female Luer Locks, Rotating Male Luer Lock	White, Blue
	99869	3-Gang, 4 Female Luer Locks, Rotating Male Luer Lock	Red, White, Blue
	99870	4-Gang, 5 Female Luer Locks, Rotating Male Luer Lock	Red, Yellow, White, Blue
	99871	5-Gang, 6 Female Luer Locks, Rotating Male Luer Lock	Red, Green, Yellow, White, Blue


Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Manifolds

1cm



99874

	58 psi; PC, HDPE, MABS		
	Part No.	Description	Color
NEW!	99872	2-Gang, 4 Female Luer Locks	White, Blue
NEW!	99873	3-Gang, 5 Female Luer Locks	Red, White, Blue
NEW!	99874	4-Gang, 6 Female Luer Locks	Red, Yellow, White, Blue
	99876	5-Gang, 7 Female Luer Locks	Red, Green, Yellow, White, Blue



13147
3-Gang, 4 Female Luer Locks, Rotating Male Luer Lock
800 psi
PC, Acetal, Silicone



99859
5-Gang, 7 Female Luer Locks
29 psi
PSU, HDPE

Stopcock Luer Lock Clip





NEW!

61990
Stopcock Manifold Luer Lock Clip
PP

Shown in use

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.



New & Featured
Valves

Qosina carries an extensive line of valves including hemostasis valves, tuohy borst adapters, luer-activated valves, check valves, flow control switches, drain valves and more. Our high-quality valves can be used in a variety of applications to aid in fluid transfer.

TABLE OF CONTENTS

Check Valves 49

Luer-Activated Valves 51

Needleless Injection Sites 51

Relief Valves 52

Hemostasis Valves 53

Tuohy Borst Adapters 54

For our full-line of **Valves,**
scan this QR code to visit **qosina.com**

1cm



80500
White Inlet, Clear Outlet, Barbed
Fits 3/32 inch ID Tubing
(0.093 inch, 2.38 mm); 0.087 psi CP
MABS, Silicone



80084
Check Valve, Female Luer Lock Inlet,
Male Luer Lock Outlet
0.112 psi CP
PC, Silicone



NEW!

80224
T Connector, Check Valve,
Female Luer Lock Inlets,
Male Luer with Spin Lock Outlet
0.174 psi CP
PC, Silicone



80393
Clear Inlet, Blue Outlet
0.138 inch OD (3.5 mm),
0.25 psi CP; 45 psi BP
PC, Silicone

NEW!

33103
High-Flow Check Valve,
Tubing Port Inlet, Tubing Port Outlet
0.346 inch ID (8.8 mm); 0.29 psi CP
MABS, Silicone



NEW!

33104
High-Flow Check Valve,
Tubing Port Inlet, Tubing Port Outlet
0.268 inch ID (6.8 mm); 0.29 psi CP
MABS, Silicone

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Check Valves







Top View

NEW!

34019
Check Valve, Barbed
Fits 1/2 inch ID Tubing (0.5 inch, 12.7 mm);
0.4 – 1 psi CP
MBS, Silicone



80185
Female Luer Lock Inlet,
Male Luer Lock Outlet
1.5 - 5.6 psi CP
PC, Silicone



NEW!

80223
T Connector, Check Valve,
Female Luer Lock Inlets,
Male Luer with Spin Lock Outlet
2.9 psi CP
PC, Silicone



79004
Dual Check Valve, Female Luer Lock Inlet,
Male Luer Lock with Swivel Nut Outlet,
Female Luer Lock Control
3 psi CP
PC, Silicone, COPE

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Luer-Activated Valves



QOS5401036SN
Safsite® Needle Free
Female Luer Lock, Male Luer Lock
PC, Silicone



NEW!

75311
Female Luer Lock,
Tubing Port
PC, Silicone





80363
Female Luer Lock,
Male Luer Lock
PVP, PP, Silicone

Needleless Injection Sites



90406
Swabbable, Female Luer Lock,
Build-In Body
PC, Silicone



80147
Swabbable, Female Luer Lock,
Male Luer Lock
PC, Silicone



80212
Neutral Pressure Displacement,
Swabbable, Female Luer Lock,
Male Luer Lock
PC, Silicone



80168
Swabbable, Female Luer Lock,
Tubing Port
0.16 inch ID/0.27 inch OD
(4.06 mm/6.86 mm)
PC, Silicone



80209
Swabbable, Female Luer Lock,
Barbed
Fits 3/16 inch ID Tubing
(0.188 inch, 4.76 mm)
PC, Silicone



80219
Swabbable, Female Luer Lock,
Male Luer with Spin Lock
PC, Silicone

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Needleless Injection Sites





80146
Y Connector, Swabbable, Tubing Ports
0.16 inch - 0.11 inch ID
(4.06 mm - 2.79 mm)
PC, Silicone



91509
SmartSite™ Needle-Free Valve T Connector, Female Luer Lock, Male Luer with Spin Lock
0.096 inch - 0.089 inch ID
(2.44 mm - 2.26 mm)
Acrylic, PU, MABS, Silicone

Relief Valves



D002501
T Pressure Relief Valve, Female Luer Lock Inlet, Male Luer Slip Outlet
2.5 psi (+/- 15% Crack Tolerance)
PP, SS

80143
T Pressure Relief Valve
Top Port 0.281 inch OD;
Bottom Ports 0.25 inch OD (7.1 mm, 6.4 mm);
30 psi CP (+/- 10% Crack Tolerance)
PC, PP, SS, Silicone



80230
T Pressure Relief Valve, Female Luer Lock Inlet, Male Luer with Spin Lock Outlet
2.1 psi - 3.4 psi CP
PC, PP, SS, Silicone

NEW!	Part No.	Measurement
	80231	6.1 psi - 9.1 psi CP
	80232	11.8 psi - 16 psi CP
	80233	32.3 psi - 39.4 psi CP
	80234	21.0 psi - 28.3 psi CP
	80235	14.2 psi - 21.3 psi CP
	80236	59.8 psi - 80.9 psi CP
	80237	89.3 psi - 109.1 psi CP

Hemostasis Valves



80302
Y Connector, Male Luer Slip, Female Luer Lock Sideport
7 FR (0.091 inch, 2.3 mm)
PC, Silicone




80347
Y Connector, Rotating Male Luer Lock, Female Luer Lock Sideport
7.5 FR (0.1 inch, 2.54 mm)
PC, Silicone



80325
Y Connector, Rotating Male Luer Lock, Female Luer Lock Sideport
9 FR (0.118 inch, 3 mm)
PC, Silicone



80348
Y Connector, Rotating Male Luer Lock, Female Luer Lock Sideport
9 FR (0.118 inch, 3 mm)
PC, Acetal, EPDM, PTFE



80373
Double Y Connector, Rotating Male Luer Lock, Female Luer Lock Sideport
8 FR - 9 FR (0.106 inch - 0.118 inch, 2.7 mm - 3 mm)
PC, Acetal, EPDM, PTFE

Tuohy Borst Adapters

1cm



11230
Small Body
0 FR - 17 FR (0 inch - 0.224 inch, 0 mm - 5.7 mm);
0.228 inch ID Tubing Port (5.8 mm)
PC, Silicone



11231
Small Body
0 FR - 17 FR (0 inch - 0.224 inch, 0 mm - 5.7 mm);
0.228 inch ID Tubing Port (5.8 mm)
PC, Silicone



11220
Threaded Flare Connector,
Female Luer Lock Sideport
0 FR - 13 FR
(0 inch - 0.17 inch, 0 mm - 4.3 mm)
PC, Silicone



22828
Barbed
6 FR - 18 FR
(0.078 inch - 0.236 inch, 2 mm - 6 mm);
0.449 inch - 0.472 inch OD Barb
(11.4 mm - 11.9 mm)
PC, Silicone

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Tuohy Borst Adapters

1cm



80330
FLO 30, Male Luer Lock
0 FR - 9 FR
(0 inch - 0.118 inch,
0 mm - 3 mm)
PC, Silicone, PTFE



80460
Male Luer Lock Swivel,
Female Luer Lock Sideport
0 FR - 9 FR
(0 inch - 0.118 inch,
0 mm - 3 mm)
PC, COPE, PTFE, Silicone



51505
Female Luer Lock
2 FR - 3 FR
(0.026 inch - 0.039 inch,
0.67 mm - 1 mm)
ABS, PC, Silicone



80343
Male Luer Spin Lock
2.7 FR
(0.035 inch, 0.89 mm)
PC, PP, Silicone



80402
Female Luer Lock,
Male Luer Lock
6 FR
(0.078 inch, 2 mm)
PVC, Silicone, Nylon/ABS



80391
Male Luer Lock
7 FR - 9 FR
(0.091 inch - 0.118 inch,
2.3 mm - 3 mm)
PC, ABS, Silicone

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.



New & Featured
Spikes & Filters

Qosina provides vented and non-vented spikes in multiple connection types for efficient, versatile fluid transfer. Our filter offering includes hydrophilic and hydrophobic options, transducer protectors, solution filters and NRFit™ filter straws. Together, these components support dependable performance in bioprocessing, pharmaceutical and lab workflows.

TABLE OF CONTENTS

Spike Assemblies & Spike Caps 57

Chambers 58

Filters 59

For our full-line of **Spikes & Filters,** scan this QR code to visit **qosina.com**

Spike Assemblies & Spike Caps

1cm

NEW!

75304
Vented Spike Cap
LDPE

NEW!

75308
Vented Spike Cap
LDPE



NEW!

75309
Spike/Chamber Assembly with Vented Cap
0.134 inch - 0.127 inch ID
(3.4 mm - 3.23 mm)
PVC, ABS, LDPE, Paper



NEW!

75310
Spike/Chamber Assembly, Vented Ball Valve with Non-Vented Cap
0.134 inch - 0.127 inch ID
(3.4 mm - 3.2 mm)
PVC, Acrylic/Nylon, SS

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Chambers

1cm



41484
Hand Pump
Fits 0.17 inch OD Tubing (4.3 mm)
PVC, PP



NEW!

41493
Hand Pump
Fits 0.264 inch OD Tubing (6.7 mm)
PVC, PP


Filters

1cm




NEW!

28822
Minisart® Hydrophobic Filter, Stepped Barb
25 mm 0.173 inch - 0.236 inch Hose Barb
(4.39 mm - 5.99 mm); 0.2 micron
PES, PP



NEW!

28823
Minisart® Hydrophobic Filter,
Female Luer Lock Inlet, Male Luer Slip Outlet
25 mm; 0.2 micron
PES, PP




NEW!

32115
Transducer Protector,
Female Luer Lock Inlet, Tubing Port Outlet
0.217 inch ID/0.291 inch OD (5.51 mm/7.39 mm)
PVC, ePTFE



NEW!

32116
Transducer Protector,
Female Luer Lock Inlet, Male Luer Lock Outlet
PVC, ePTFE



NEW!

32118
Transducer Protector,
Male Luer Slip Inlet, Male Luer Slip Outlet
PVC, ePTFE



New & Featured
Bags

Qosina offers a wide selection of over 50 different bag chamber configurations from trusted, industry-leading suppliers. From freezing applications to routine fluid handling, Qosina provides the bag chamber solutions that keep your bioprocessing workflows moving with confidence.

TABLE OF CONTENTS

Bag Chambers 61

Bag Chamber Film 64

Sensor Bag Ports 65

For our full-line of **Bags,**
scan this QR code to visit **qosina.com**



20500

NEW!	Aramus™ 2D Bag Chamber, 2 Ports, Non-Sterile; Fluoropolymer	
	Part No.	Measurement
	20500	20 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	20501	50 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	20502	100 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	20503	250 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)

NEW!	Aramus™ 2D Bag Chamber, 3 Ports, Non-Sterile; Fluoropolymer	
	Part No.	Measurement
	20504	500 ml; 2 Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm); 1 Port Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	20505	1 Liter; 2 Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm); 1 Port Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	20506	2 Liter; 2 Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm); 1 Port Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)

NEW!	Aramus™ 2D Bag Chamber, 3 Ports, Non-Sterile; Fluoropolymer, PVC	
	Part No.	Measurement
	20507	5 Liter; 2 Ports Fit 3/8 inch ID Tubing (0.375 inch, 9.53 mm); 1 Port Fits 1/4 inch ID Tubing (0.25 inch, 6.35 mm)
	20508	10 Liter; 2 Ports Fit 3/8 inch ID Tubing (0.375 inch, 9.53 mm); 1 Port Fits 1/4 inch ID Tubing (0.25 inch, 6.35 mm)
	20509	20 Liter; 2 Ports Fit 3/8 inch ID Tubing (0.375 inch, 9.53 mm); 1 Port Fits 1/4 inch ID Tubing (0.25 inch, 6.35 mm)

Dimensions are for reference only Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

1cm



28632

Image shown at 50%

NEW!	Flexsafe® 2D Bag Chamber, 2 Ports, Non-Sterile; PE	
	Part No.	Measurement
	28629	50 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	28630	150 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	28631	250 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	28632	500 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)

1cm



28700

Image shown at 25%

NEW!	2D Bag Chamber, 2 Ports, Non-Sterile		
	Part No.	Measurement	Material
	28700	50 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	PE, PP, Polyolefin
	28701	100 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	PE, PP, Polyolefin
	28702	250 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	PE, PP, Polyolefin
	28703	500 ml; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	PE, PP, Polyolefin
	28704	1 Liter; Both Ports Fit 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	PE, PP, Polyolefin
	28705	2 Liter; Both Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm)	PE, PBT, Polyolefin

28706

Image shown at 15%

NEW!	2D Bag Chamber, 3 Ports, Non-Sterile; PE, PBT, Polyolefin	
	Part No.	Measurement
	28706	5 Liter; 2 Ports Fit 3/8 inch ID Tubing (0.375 inch, 9.53 mm); 1 Port Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	28707	10 Liter; 2 Ports Fit 3/8 inch ID Tubing (0.375 inch, 9.53 mm); 1 Port Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	28708	20 Liter; 2 Ports Fit 3/8 inch ID Tubing (0.375 inch, 9.53 mm); 1 Port Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	28709	50 Liter; 2 Ports Fit 3/8 inch ID Tubing (0.375 inch, 9.53 mm); 1 Port Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)

1cm



Image not shown to size

NEW!

91233
NEXCEL® BIO1250 Bag Chamber Film, Roll
328.08 ft x 4.53 ft (100 m x 1.38 m); 1485.42 sq. ft. (138 sq. m)
PE

1cm



NEW!

49012
iDOT™ Single-Use O2 Sensor Bag Port
Fits Polestar Technologies Fiber Optic Cable
Polyolefin, PVB, LDPE



NEW!

49013
iDOT™ Single-Use pH Sensor Bag Port
Fits Polestar Technologies Fiber Optic Cable
Polyolefin, PVB, LLDPE



New & Featured Flanges, End Caps & Gaskets

Explore Qosina's newest sanitary flange solutions engineered for high-performance single-use bioprocessing. Our expanded portfolio includes multi-size flanges, silicone gaskets, precision end caps and robust clamp designs that maintain seal integrity under demanding conditions. These components support ASME BPE–compatible connections, streamline system integration and enhance process cleanliness across biopharmaceutical and other hygienic applications.

TABLE OF CONTENTS

Sanitary Flanges 67

Sanitary Funnels 71

Sanitary Fittings 71

End Caps 73

Gaskets 74

Gauge Guard Isolators 75

For our full-line of **Flanges, End Caps & Gaskets,** scan this QR code to visit **qosina.com**

Sanitary Flanges

1cm

51645
Barbed
0.5 inch/0.75 inch Mini;
Fits 1/4 inch ID Tubing
(0.25 inch, 6.35 mm)
PP



51649
Barbed
0.5 inch/0.75 inch Mini;
Fits 1/2 inch ID Tubing
(0.5 inch, 12.7 mm)
PP



NEW!
62026
Barbed
0.5 inch/0.75 inch Mini;
Fits 3/4 inch ID Tubing
(0.75 inch, 19.05 mm)
PP



61803
Barbed, Pre-Attached Gasket
0.5 inch/0.75 inch Mini;
Fits 3/8 inch ID Tubing
(0.375 inch, 9.53 mm)
PP, TPE



51653
Barbed
1 inch/1.5 inch Standard;
Fits 1/4 inch ID Tubing
(0.25 inch, 6.35 mm)
PP



NEW!
62027
Barbed
1 inch/1.5 inch Standard;
Fits 1/4 inch ID tubing
(0.25 inch, 6.35 mm)
PP

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Sanitary Flanges

1cm



NEW!

62028
Barbed
1 inch/1.5 inch Standard;
Fits 3/8 inch ID tubing
(0.375 inch, 9.53 mm)
PP



NEW!

62029
Barbed
1 inch/1.5 inch Standard;
Fits 1/2 inch ID tubing
(0.5 inch, 12.7 mm)
PP



NEW!

62030
Barbed
1 inch/1.5 inch Standard;
Fits 3/4 inch ID tubing
(0.75 inch, 19.05 mm)
PP



NEW!

62500
Barbed
1 inch/1.5 inch Standard;
Fits 1 1/2 inch ID Tubing
(1.5 inch, 38.1 mm)
PP



NEW!

61986
Barbed
2 inch; Fits 1 inch ID Tubing
(25.4 mm)
PP

Sanitary Flanges



NEW!

62501
Barbed
2 inch; Fits 1 1/2 inch ID Tubing
(1.5 inch, 38.1 mm)
PP



NEW!

61987
Barbed
3 inch; Fits 1 inch ID Tubing
(25.4 mm)
PP

1cm



NEW!

62035
Concentric Reducer
1 inch/1.5 inch Standard x 0.5 inch/0.75 inch Mini
PP

NEW!

62225
Concentric Reducer
1 inch/1.5 inch Standard x 0.5 inch/0.75 inch Mini
PP

Sanitary Flanges

1cm

NEW!

62226
Concentric Reducer
1 inch/1.5 inch Ladish® x 0.5 inch/0.75 inch Mini
PP



NEW!

62036
Concentric Reducer
2 inch x 0.5 inch/0.75 inch Mini
PP



NEW!

62037
Concentric Reducer
2 inch x 1 inch/1.5 inch Standard
PP



NEW!

62038
Concentric Reducer
3 inch x 0.5 inch/0.75 inch Mini
PP

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Sanitary Funnels



NEW!

62233
10 inch Funnel (254 mm) x 3 inch Flange
PP

Image shown at 25%

NEW! Also Available:

Part No.	Flange Size
62231	1 inch/1.5 inch Standard
62232	2 inch
62234	4 inch



NEW!

62235
10 inch Flat Funnel (254 mm) x 3 inch Flange
PP

Image shown at 25%

NEW! Also Available:

Part No.	Flange Size
62236	4 inch

1cm

Sanitary Fittings



NEW!

62224
90-Degree Elbow Fitting
0.5 inch/0.75 inch Mini
PP

NEW! Also Available:

Part No.	Measurement
62223	1 inch/1.5 inch Standard

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Sanitary Fittings

1cm



62502 **NEW!**
Y Fitting
2 inch
PP

NEW!
62222
T Fitting
0.5 inch/0.75 inch Mini
PP

NEW!	Also Available:	
	Part No.	Measurement
	62221	1 inch/1.5 inch Ladish®
	62220	1 inch/1.5 inch Standard

Dimensions are for reference only

Explore our full catalog at qosina.com

End Caps

1cm



51751
FlowLinX™
Fits 0.5 inch/0.75 inch Mini Flange
PP

NEW!
62031
Fits 0.5 inch/0.75 inch Mini Flange
PP



NEW!
62032
Fits 1 inch/1.5 inch Standard Flange
PP



NEW!
61988
Fits 2 inch Sanitary Flange
PP



NEW!
61989
Fits 3 inch Sanitary Flange
PP



NEW!
62228
Fits 2 inch Sanitary Flange
PP

Also Available:		
	Part No.	Measurement
NEW!	62227	Fits 1.5 inch Sanitary Flange
NEW!	62229	Fits 3 inch Sanitary Flange
NEW!	62230	Fits 4 inch Sanitary Flange
	61695	Fits 4 inch Sanitary Flange


Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Gaskets

1cm



NEW!

51713
6 inch
Silicone

NEW! Also Available:

Part No.	Measurement
51705	0.5 inch
51721	0.75 inch
51708	1.5 inch
51712	4 inch
51715	8 inch

Gauge Guard Isolators

1cm



NEW!

31350
Fits 0.5 inch/0.75 inch Mini Flange
EPDM



NEW!

31352
Fits 0.5 inch/0.75 inch Mini Flange
Silicone



NEW!

31351
Fits 1 1/2 inch Maxi Flange
EPDM



NEW!

31353
Fits 1 1/2 inch Maxi Flange
Silicone



NEW!

31354
Fits 1 1/2 inch Maxi Flange
TPE



NEW!

31355
Fits 1 1/2 inch Maxi Flange
TPV



New & Featured Bioprocess Bottles & Carboys

Qosina offers a complete line of PharmaTainer™ Bottles designed for bioprocessing, storage and sampling. Manufactured in an ISO Class 5 environment using injection blow molding, these bottles deliver consistent, high-purity performance.

TABLE OF CONTENTS

Bottles 77

Carboys 78

Bottle Accessories 79

For our full-line of **Bioprocess Bottles & Carboys,** scan this QR code to visit **qosina.com**



12700

NEW!	PharmaTainer™ Bottle, Non-Sterile		
	Part No.	Measurement	Material
	12700	125 ml; 48 mm cap	PET (COPE)
	12701	125 ml; 48 mm cap	PC
	12702	250 ml; 48 mm cap	PET (COPE)
	12703	250 ml; 48 mm cap	PC
	12704	500 ml; 48 mm cap	PET (COPE)
	12705	500 ml; 48 mm cap	PC
	12706	1 Liter; 48 mm cap	PET (COPE)
	12707	1 Liter; 48 mm cap	PC
	12708	2 Liter; 48 mm cap	PET (COPE)
	12709	2 Liter; 48 mm cap	PC

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Carboys

1cm



12711

Image shown at 50%

NEW!	PharmaTainer™ Carboy, Non-Sterile		
Part No.	Measurement	Material
12710	5 Liter; 70 mm cap	PET (COPE)
12711	5 Liter; 70 mm cap	PC
12712	10 Liter; 70 mm cap	PET (COPE)
12714	10 Liter; 70 mm cap	PC
12713	20 Liter; 70 mm cap	PET (COPE)
12715	20 Liter; 70 mm cap	PC

Bottle Accessories

1cm



12717



12718

NEW!	PharmaTainer™ Cap; PP
Part No.	Measurement
12716	48 mm
12717	48 mm; 2 External Ports Fit 1/4 inch ID Tubing x 2 Internal Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm)
12718	48 mm; 2 External Ports Fit 1/4 inch ID Tubing x 2 Internal Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm); 1 External Port Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)
12719	48 mm; 2 External Ports Fit 1/4 inch ID Tubing x 2 Internal Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm); 1 External Port Fits 3/16 inch ID Tubing x 1 Internal Port Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)
12720	70 mm
12721	70 mm; 2 External Ports Fit 1/4 inch ID Tubing x 2 Internal Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm)
12722	70 mm; 2 External Ports Fit 1/4 inch ID Tubing x 2 Internal Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm); 1 External Port Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)
12723	70 mm; 2 External Ports Fit 1/4 inch ID Tubing x 2 Internal Ports Fit 1/4 inch ID Tubing (0.25 inch, 6.35 mm); 1 External Port Fits 3/16 inch ID Tubing x 1 Internal Port Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)
12724	70 mm; 4 External Ports Fit 3/8 inch ID Tubing x 4 Internal Ports Fit 3/8 inch ID Tubing (0.375 inch, 9.53 mm)

Bottle Accessories



NEW!

32030
Tubing Weight
Fits 3/16 inch ID Tubing
(0.188 inch, 4.76 mm)
PVDF

NEW!

32031
Tubing Weight
Fits 1/4 inch ID Tubing
(0.25 inch, 6.35 mm)
PVDF

NEW!

32032
Tubing Weight
Fits 5/16 inch ID Tubing
(0.313 inch, 7.94 mm)
PVDF

NEW!

32033
Tubing Weight
Fits 3/8 inch ID Tubing
(0.375 inch, 9.53 mm)
PVDF

NEW!

32034
Tubing Weight
Fits 1/2 inch ID Tubing
(0.5 inch, 12.7 mm)
PVDF

NEW!

32035
Tubing Weight
Fits 3/4 inch ID Tubing
(0.75 inch, 19.1 mm)
PVDF

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

BIOPROCESS BOTTLES & CARBOYS

Bottle Accessories

34009

NEW! Tubing Weight; PTFE

Part No.	Measurement
34009	Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
34014	Fits 1/4 inch ID Tubing (0.25 inch, 6.35 mm)
34013	Fits 3/8 inch ID Tubing (0.375 inch, 9.53 mm)
34012	Fits 1/2 inch ID Tubing (0.5 inch, 12.7 mm)



91319

NEW! Stir Bar; PVDF, Magnet

Part No.	Measurement
91318	8 mm x 51 mm
91319	10 mm x 38 mm
91320	10 mm x 51 mm
91321	10 mm x 80 mm



NEW!

12725
Filling Bell
Fits 3/8 inch ID Tubing
(0.375 inch, 9.53 mm)
PC

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

New & Featured
Overmolded Components

Qosina's overmolded components are designed to provide clean, reliable connections across a wide range of single-use system applications. These components integrate multiple functional elements such as gaskets, backing cups and tubing into a single molded assembly to help simplify system design and assembly. By reducing connection points and the need for retention devices, Qosina's overmolded solutions help minimize leak risk and bioburden entrapment while offering flexibility for cut-to-size and custom configurations.

TABLE OF CONTENTS

Overmolded Sanitary Components 83

Overmolded Tubing Components 85

For our full-line of **Overmolded Components,** scan this QR code to visit **qosina.com**

Overmolded Sanitary Components




Image shown at 25%

NEW!	Overmolded Sanitary Flange Component, Liveo™ Pharma-50 Tubing 50A Durometer; 72 inch length (1829 mm); PSU, Silicone	
	Part No.	Measurement
	42001	0.5 inch/0.75 inch Mini; 1/4 inch ID x 3/8 inch OD (0.25 inch x 0.375 inch, 6.35 mm x 9.53 mm)
	42002	0.5 inch/0.75 inch Mini; 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)
	42003	1 inch/1.5 inch Standard; 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)
	42004	1 inch/1.5 inch Standard; 1/2 inch ID x 3/4 inch OD (0.5 inch x 0.75 inch, 12.7 mm x 19.05 mm)
	42005	1 inch/1.5 inch Standard; 3/4 inch ID x 1 inch OD (0.75 inch x 1 inch, 19.05 mm x 25.4 mm)



Image shown at 25%

NEW!	Overmolded Sanitary Flange Component, C-Flex® 374 Tubing 50A Durometer; 72 inch length (1829 mm); PSU, TPE	
	Part No.	Measurement
	42011	0.5 inch/0.75 inch Mini; 1/4 inch ID x 3/8 inch OD (0.25 inch x 0.375 inch, 6.35 mm x 9.53 mm)
	42012	0.5 inch/0.75 inch Mini; 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)
	42013	1 inch/1.5 inch Standard; 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)
	42014	1 inch/1.5 inch Standard; 1/2 inch ID x 3/4 inch OD (0.5 inch x 0.75 inch, 12.7 mm x 19.05 mm)
	42015	1 inch/1.5 inch Standard; 3/4 inch ID x 1 inch OD (0.75 inch x 1 inch, 19.05 mm x 25.4 mm)


Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Overmolded Sanitary Components

1cm



42021


Image shown at 50%

NEW! Overmolded Sanitary Flange Component, AdvantaSil® ASPH Braid-Reinforced Silicone Tubing; 72 inch length (1829 mm)

Part No.	Measurement	Material
42021	0.5 inch/0.75 inch Mini; 50A Durometer; 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)	PSU, Silicone
42022	1 inch/1.5 inch Standard; 50A Durometer; 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)	PSU, Silicone
42023	1 inch/1.5 inch Standard; 50A Durometer; 1/2 inch ID x 3/4 inch OD (0.5 inch x 0.75 inch, 12.7 mm x 19.05 mm)	PSU, Silicone
42024	1.5 inch Standard; 65A Durometer; 3/4 inch ID x 1 1/8 inch OD (0.75 inch x 1.125 inch, 19.05 mm x 28.58 mm)	PSU, Silicone
42025	1.5 inch Standard; 65A Durometer; 1 inch ID x 1 3/8 inch OD (1 inch x 1.375 inch, 25.4 mm x 34.92 mm)	PSU, Silicone
42031	0.5 inch/0.75 inch Mini; 50A Durometer; 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)	SS, Silicone
42032	1 inch/1.5 inch Standard; 50A Durometer; 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)	SS, Silicone
42033	1 inch/1.5 inch Standard; 50A Durometer; 1/2 inch ID x 3/4 inch OD (0.5 inch x 0.75 inch, 12.7 mm x 19.05 mm)	SS, Silicone

Overmolded Tubing Components

1cm




42041

Image shown at 50%

NEW! Overmolded T Component, Liveo™ Pharma-50 Tubing; 50A Durometer; 18 inch length (457.2 mm); Silicone

Part No.	Measurement
42041	All Sides: 1/8 inch ID x 1/4 inch OD (0.125 inch x 0.25 inch, 3.18 mm x 6.35 mm)
42042	All Sides: 1/4 inch ID x 3/8 inch OD (0.25 inch x 0.375 inch, 6.35 mm x 9.53 mm)
42043	All Sides: 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)
42044	All Sides: 1/2 inch ID x 3/4 inch OD (0.5 inch x 0.75 inch, 12.7 mm x 19.05 mm)
42045	All Sides: 3/4 inch ID x 1 inch OD (0.75 inch x 1 inch, 19.05 mm x 25.4 mm)

Overmolded Tubing Components



42051


Image shown at 50%

NEW! Overmolded Y Component, Liveo™ Pharma-50 Tubing
50A Durometer; 18 inch length (457.2 mm); Silicone

Part No.	Measurement
42051	All Sides: 1/8 inch ID x 1/4 inch OD (0.125 inch x 0.25 inch, 3.18 mm x 6.35 mm)
42052	All Sides: 1/4 inch ID x 3/8 inch OD (0.25 inch x 0.375 inch, 6.35 mm x 9.53 mm)
42053	All Sides: 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)
42054	All Sides: 1/2 inch ID x 3/4 inch OD (0.5 inch x 0.75 inch, 12.7 mm x 19.05 mm)
42055	All Sides: 3/4 inch ID x 1 inch OD (0.75 inch x 1 inch, 19.05 mm x 25.4 mm)

OVERMOLDED COMPONENTS

Overmolded Tubing Components




42061

Image shown at 50%

NEW! Overmolded Cross Component, Liveo™ Pharma-50 Tubing
50A Durometer; 18 inch length (457.2 mm); Silicone

Part No.	Measurement
42061	All Sides: 1/8 inch ID x 1/4 inch OD (0.125 inch x 0.25 inch, 3.18 mm x 6.35 mm)
42062	All Sides: 1/4 inch ID x 3/8 inch OD (0.25 inch x 0.375 inch, 6.35 mm x 9.53 mm)
42063	All Sides: 3/8 inch ID x 5/8 inch OD (0.375 inch x 0.625 inch, 9.53 mm x 15.88 mm)
42064	All Sides: 1/2 inch ID x 3/4 inch OD (0.5 inch x 0.75 inch, 12.7 mm x 19.05 mm)
42065	All Sides: 3/4 inch ID x 1 inch OD (0.75 inch x 1 inch, 19.05 mm x 25.4 mm)



New & Featured
Filling Needles

Boost Production with OneShot™ Single-Use Filling Needles from Qosina. Easily incorporated into your final filling process, filling needles increase efficiency by reducing filler line downtime and eliminate cross-contamination risk. Designed for precision, reliability and compatibility, OneShot™ Single-Use Filling needles remove the need for cleaning and validation.

TABLE OF CONTENTS

Filling Needles 89

For our full-line of **Filling Needles,** scan this QR code to visit **qosina.com**



1cm

NEW!

OneShot™ Inova Style Single-Use Filling Needle; PC, SS

Part No.	Measurement	Hub Size	Barbed/Non-Barbed
34100	0.5 mm Needle ID; Fits 1/50 inch ID Tubing (0.020 inch, 0.51 mm)	8 mm	Non-Barbed
34101	0.8 mm Needle ID; Fits 1/32 inch ID Tubing (0.031 inch, 0.79 mm)	8 mm	Non-Barbed
34102	1.5 mm Needle ID; Fits 1/16 inch ID Tubing (0.063 inch, 1.59 mm)	8 mm	Barbed
34103	2.5 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	8 mm	Barbed
34106	4 mm Needle ID; Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)	8 mm	Barbed
34104	2.1 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	13 mm	Barbed
34105	2.5 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	13 mm	Barbed





NEW!

OneShot™ IMA Style Single-Use Filling Needle; PC, SS

Part No.	Measurement	Barbed/Non-Barbed
34300	0.8 mm Needle ID; Fits 1/32 inch ID Tubing (0.031 inch, 0.79 mm)	Non-Barbed
34301	1 mm Needle ID; Fits 3/64 inch ID Tubing (0.047 inch, 1.19 mm)	Non-Barbed
34302	1.5 mm Needle ID; Fits 1/16 inch ID Tubing (0.063 inch, 1.59 mm)	Barbed
34303	2.1 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	Barbed
34304	3 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	Barbed
34305	4 mm Needle ID; Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)	Barbed

Dimensions are for reference only

Explore our full catalog at qosina.com

QOSINA

Visit our website to see our complete product range of thousands of components.

34400



34401



NEW!	OneShot™ Bausch and Ströbel Style Single-Use Filling Needle; PC, SS		
	Part No.	Measurement	Barbed/Non-Barbed
	34400	0.8 mm Needle ID; Fits 1/32 inch ID Tubing (0.031 inch, 0.79 mm)	Non-Barbed
	34401	1.6 mm Needle ID; Fits 1/16 inch ID Tubing (0.063 inch, 1.59 mm)	Barbed
	34402	2.5 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	Barbed
	34403	3.2 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	Barbed
	34404	4 mm Needle ID; Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)	Barbed

34500



NEW!	OneShot™ Syntegon PreVAS Style Single-Use Filling Needle, Barbed; PC, SS	
	Part No.	Measurement
	34500	1 mm Needle ID; Fits 3/64 inch ID Tubing (0.047 inch, 1.19 mm)
	34501	2.1 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	34502	3 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)
	34503	4 mm Needle ID; Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)

34600




34601



NEW!	OneShot™ Cytiva Style Single-Use Filling Needle; PC, SS, Silicone		
	Part No.	Measurement	Barbed/Non-Barbed
	34600	1 mm Needle ID; Fits 3/64 inch ID Tubing (0.047 inch, 1.19 mm)	Non-Barbed
	34601	2 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	Barbed
	34602	3 mm Needle ID; Fits 1/8 inch ID Tubing (0.125 inch, 3.18 mm)	Barbed
	34603	4 mm Needle ID; Fits 3/16 inch ID Tubing (0.188 inch, 4.76 mm)	Barbed

QOSINA

Built over decades, designed to keep you moving forward



In 2025, we introduced more than **500 new products**, expanding possibilities across our entire portfolio. And we're beginning 2026 with nearly **200 additional components** across more than 20 categories, with many more innovations already in development.

Stay connected, stay inspired and see what's coming next at qosina.com.

For more information about materials, recommended sterilization and technical information, please contact our team of specialists at info@qosina.com.

Material Abbreviations	
Acrylonitrile Butadiene Styrene	ABS
Aluminum	Al
Bromobutyl Rubber	BIIR
Chlorobutyl Rubber	CIIR
Cellulose Nitrate-Cellulose Acetate	CN-CA
Cyclo Olefin Copolymer	COC
Cyclo Olefin Polymer	COP
Copolyester	COPE
Ethylene Propylene Diene Monomer	EPDM
Expandable Polyethylene	EPE
Ethylene Tetrafluoroethylene	ETFE
Ethylene Vinyl Acetate	EVA
Fluorinated Ethylene Propylene	FEP
Fluoroelastomer	FKM
High Density Polyethylene	HDPE
High Density Polypropylene	HDPP
High Impact Polystyrene	HIPS
Isobutylene Isoprene Rubber (Butyl Rubber)	IIR
Low Density Polyethylene	LDPE
Linear Low Density Polyethylene	LLDPE
Methyl Methacrylate ABS	MABS
Methacrylate Butadiene Styrene	MBS
Medium Density Polyethylene	MDPE
Nitrile Butadiene Rubber	NBR
Neoprene	NPRN
Polyamide (Nylon)	PA
Polybutylene Terephthalate	PBT

Material Abbreviations	
Polycarbonate	PC
Polyethylene	PE
Polyethersulfone	PES
Polyethylene Terephthalate	PET
Polyethylene Terephthalate Glycol	PETG
Polyisobutylene (Butyl Rubber)	PIB
Polykeytone	PK
Polyolefin	PO
Polyolefin Elastomer	POE
Polyoxymethylene (Acetal)	POM
Polypropylene	PP
Polystyrene	PS
Polysulfone	PSU
Polytetrafluoroethylene	PTFE
Polyurethane	PU
Polyvinyl	PV
Polyvinyl Chloride	PVC
Polyvinylidene Difluoride	PVDF
Styrene Acrylonitrile	SAN
Styrene-Butadiene Copolymer	SBC
Styrene-Butadiene Rubber	SBR
Styrene-Methylstyrene	SMS
Stainless Steel	SS
Thermoplastic Elastomer	TPE
Thermoplastic Rubber	TPR
Thermoplastic Polyurethane	TPU
Thermoplastic Vulcanizate	TPV

Dimensions are for reference only

Explore our full catalog at qosina.com

Visit our website to see our complete product range of thousands of components.

Explore the components that bring your designs to life

Everything clicks at qosina.com


Your time is valuable, so we made our website do the heavy lifting. Search, filter and compare thousands of components on one website. Download CAD files or request a sample without any delays or headaches.

Your Complete Resource for Medical Device & Bioprocess Components

Discover the convenience of Qosina's comprehensive full-line catalog at your fingertips. It's your go-to reference for thousands of components used by engineers and procurement teams around the world. Explore detailed specifications, material information and part options that support every stage of your design and sourcing process.

Online you can:

- Search for components, brands or applications
- Access CAD and documentation instantly
- View pricing and order samples anytime



What's available:


Extensive component selection:
A broad range of connectors, fittings, clamps, valves and tubing, thoughtfully organized for fast, easy navigation.

Detailed product information:
Each listing includes precise **measurements, materials and part specifications** to support your design and sourcing process.

True-to-scale visuals:
Every component is displayed at **actual size on a 1 cm grid,** giving engineers an accurate sense of scale for seamless integration into designs.

Your next solution is just one click away.

qosina.com



Why choose Qosina?

Complimentary product samples • Low minimum order requirements
Downloadable product resources • Source and customize components
Supply chain management

qosina.com/catalog

LRQA CERTIFIED ISO 13485
LRQA CERTIFIED
LRQA CERTIFIED ISO 22301
LRQA CERTIFIED ISO 45001

QOSINA

qosina.com • info@qosina.com